

**ISSUE 1**  
APRIL 2026

**galvin**

Water Solutions for a Healthier Environment



# Public Spaces Solutions

---

# Public Spaces

Public spaces play a vital role in keeping our communities healthy, inclusive, and connected. From local parks and sports clubs to schools, transport hubs and beachfront facilities, these spaces are used daily by hundreds of people, and every feature must perform with reliability and efficiency.

## Why quality matters in Public Spaces

Public spaces endure constant use, diverse users, and exposure to the elements. Every fixture must perform reliably while meeting safety, accessibility, and efficiency standards. Investing in quality from the outset reduces long-term costs, enhances usability, and fosters trust in the spaces communities depend on.

- **Durability:** Vandal resistant materials and robust construction withstand heavy use and outdoor conditions.
- **Water Efficiency:** Timed flow and controlled systems reduce waste and support sustainable water management.
- **Accessibility and Inclusion:** Thoughtful design, clear luminance contrast, and intuitive products enable safe, independent use for all.
- **Hygiene and Safety:** Nonhazardous materials, smooth surfaces, and touch-free options promote cleaner, safer public spaces.

## What makes tapware fit for public use?

Public tapware must be tamper resistant, easy to clean, and durable enough to withstand frequent, sometimes rough use. Products must meet relevant Australian Standards for water efficiency, accessibility, and temperature control.

## How can we reduce water waste in Public Spaces?

Water waste in public spaces can be reduced by choosing efficient tapware designed for controlled flow and timed operation. Options like push button or sensor activated taps help prevent taps from being left running, while aerators and flow restrictors ensure consistent performance with minimal water use.

## How can we make public spaces more inclusive?

Public spaces can be made more inclusive by selecting tapware and sanitaryware that support accessibility, ease of use, and safety for all users. Features like lever or sensor activated taps, clear hot and cold indicators, and contrasting colours improve usability for people with limited mobility or vision impairments.



## Features Category Key

To help you navigate our range, this brochure uses four feature categories that make it easy to identify the key benefits and innovations across our products.

### **Vandal Resistant**

A vandal-resistant product is built to withstand intentional damage and tampering in public spaces. This includes durable construction, secure fittings, and designs that prevent parts from being easily removed or broken, ensuring long-term functionality and safety.

### **Accessible**

An accessible product is designed for people of all abilities to use safely and independently. This includes products that are easy to reach, operate with minimal force, and suit users with limited mobility, strength, or dexterity.

### **Robust**


A robust product is built to endure frequent use and tough conditions without compromising performance. This includes tapware and fixtures made from durable materials that resist wear, impact, and corrosion to deliver long-lasting reliability.

### **Outdoor Friendly**

An outdoor friendly product is designed to perform reliably in external environments. This includes resistance to weather, UV exposure, temperature changes, and corrosion, ensuring tapware and fixtures remain durable and functional in outdoor public spaces.

# Tapware

Our tapware is designed to be durable, easy to use, and built for high-traffic environments. They deliver reliable performance while meeting safety, hygiene, and accessibility requirements.

-  Vandal Resistant
-  Accessible
-  Robust
-  Outdoor Friendly



Ezy-Push® SS316 Lead Safe™ Timeflow Push Button Deluxe Bib Tap MI - 6 Sec

Code: 368667X



Ezy-Push® SS316 Lead Safe™ Timeflow Push Button Pillar Tap MI - 6 Sec

Code: 368696X



CliniLever® CP-BS Lead Safe™ Hospital Single Lever Basin Mixer with Accessible Handle H&C

Code: 103.00.73.00



Flowmatic® Lead Safe™ Flamingo Hob Basin Tap without Temp Mixing - Battery Power

Code: 151.11.22.00



Flowmatic® Lead Safe™ GC20 Hob Basin Tap - Battery Power

Code: 151.10.22.00



Flowmatic® Lead Safe™ GC10 Hob Basin Mixer - Battery Power

Code: 151.10.22.03



Ezy-Push® CP-BS Lead Safe™ Timeflow Push Button Pillar Tap - 15 Sec

Code: 173.15.21.00, 173.15.41.04



Ezy-Lever CP-BS Lead Safe™ Timeflow Lever Action Pillar Tap - 6 Sec

Product Code: 173.15.23.00



Vandal Resistant CP-BS Lead Safe™ J/V Pillar Tap Aerated (Raised) - Cold

Code: 174.12.12.01




Vandal Resistant CP-BS Lead Safe™ J/V Basin Set with Aerator

Code: 174.31.42.03

# Basins

Our basins are designed to be durable, hygienic, and easy to maintain, even with heavy daily use. They provide reliable performance while supporting accessibility and long-term cleanliness.

-  Vandal Resistant
-  Accessible
-  Robust
-  Outdoor Friendly



Selnova Square Wall Basin with Overflow 1TH (50cm/60cm)

Code: 500.300.01.7-KIT, 500.310.01.7-KIT



Selnova Basin Shroud

Code: 500.329.01.7-KIT



Kolo Rekord Wall Basin without Overflow 1TH (50cm/60cm)

Code: K91450000-KIT, K91461000-KIT



Kolo Rekord Basin Shroud

Code: K97101000-KIT



Wallgate S/Surface Wall Basin with Exposed Services 0TH

Code: 123.00.04.40



Wallgate S/Surface Narrow Shroud for Wall Basin with Exposed Services

Code: 123.00.91.40



GalvinAssist® 720mm Access Wall Basin LH Bowl No Overflow (0TH/1TH/3TH)

Codes: 105.30.71.01, 105.30.71.03, 105.30.71.07



Selnova Compact Wall Basin 45cm with Overflow 1TH (RH/LH)

Codes: 500.318.01.5-KIT, 500.319.01.5-KIT



GalvinAssist® Chrome, Round Bottle Trap, Wall Exit, Suits 32mm & 40mm Waste Holes

Code: 105.93.00.00







GalvinAssist® CP-BS Universal Pop-Up Basin Plug & Waste 40mm

Code: 105.90.12.01

# Toilets


Our toilets are designed for high-traffic use, combining durability with ease of cleaning and maintenance. They provide reliable, hygienic performance while accommodating accessibility needs.

-  Vandal Resistant
-  Accessible
-  Robust
-  Outdoor Friendly



SS Vandal Resistant Dual Flush Plate Assembly for Pneumatic Inwall Cistern with CP-BS Flush Buttons

Code: 656507



SS Vandal Resistant Dual Flush Plate Assembly for Pneumatic Inwall Cistern with CP-BS Raised Buttons

Code: 656512



GalvinAssist® Clean Flush Ambulant Toilet Suite with Soft Close White Seat

Code: 105.10.20.00



GalvinAssist® Clean Flush Accessible Toilet Suite with Blue Seat

Code: 105.10.10.01




Ifo Sign 6820 Junior Toilet 4.5L / 3L Dual Flush with Soft-Close Seat, S-Trap - White

Code: 682001809




Wallgate Vandal Resistant S/Surface Urinal with Through-Wall Concealed Services

Code: CWU-01W



Wallgate Ligature Resistant S/Surface Pan Covered with Integ Grey Seat 446x702mm

Code: 123.41.32.40



Wallgate Ligature Resistant S/Surface Accessible Pan Covered with Integ Grey Seat 460x810mm

Code: 123.44.32.40



Wallgate Pneumatic Activated Concealed Slimline Cistern

Code: CIST19-PNEU-2







GalvinAssist® PWD Backrest

Code: 105.76.02.01

# Showers

Our showers are designed to handle frequent, heavy use while maintaining safety and hygiene. They feature durable materials and easy-to-clean surfaces, while ensuring accessibility and reliable performance for all users in high-traffic environments.

-  Vandal Resistant
-  Accessible
-  Robust
-  Outdoor Friendly



GalvinAssist® CP Hand Shower Kit with 900 x 32mm SS Hygienic Grab Rail

Code: 41999CP



GalvinAssist® Hand Shower with Inverted T 700 x 1100mm SS Hygienic Grab Rail (Centre)

Code: CLEVA035



Vandal Resistant CP-BS Lead Safe™ Shower Set J/V

Code: 174.61.02.03



GalvinCare® Ligature Resistant Electronic Concealed Shower Mixer with GalvinCare® Handle & Controller

Code: TZ-FLOWTMSHWINR



CliniLever® CP-BS Hospital Single Lever Shower Mixer

Code: TM-SHWCP



Vandal Resistant CP Lead Safe™ J/V Wall Top Assembly - Hot/Cold

Codes: 174.01.02.01, 174.01.02.02



GalvinCare® CP-BS Lead Safe™ Ligature Resistant Wall Mtd Shower Rose

Code: 121.33.64.00



Ezy-Push® CP-BS Lead Safe™ Push Button Concealed Wall Top Assembly - Cold

Code: 172.72.43.01



GalvinAssist® Folding Shower Seat 960 x 400 x 480mm

Code: 105.70.09.01




Ezy-Push® CP-BS Lead Safe™ Timeflow Push Button Concealed Shower Control Valve - 15 Sec

Code: 173.61.45.00

# Drains

Our drains are designed to efficiently manage water flow while withstanding heavy use and harsh conditions. They combine durability, corrosion resistance, and easy maintenance to ensure hygienic, reliable performance in high-traffic areas.

-  Vandal Resistant
-  Accessible
-  Robust
-  Outdoor Friendly



HeelGrate® SS316 Floor Drain Grate Round  
150x100 PVC/HDPE/CU Slip-In

Code: 302185X



HeelGrate® SS316 Floor Drain Grate Square  
150x100 PVC/HDPE/CU Slip-In

Code: 302182X



HeelGrate® SS316 Floor Drain Grate Square  
100x80 PVC Slip-In

Code: 302445X



HeelGrate® SS316 Floor Drain Grate Square  
150x100 PVC/HDPE/CU Slip-In

Code: 302505X



HeelGrate® SS Floor Drain Grate Square  
200x100 PVC/HDPE/CU Slip-in

Code: 302640X



HeelGrate® SS Floor Drain Grate Square 300x100  
PVC/HDPE/CU Slip-in

Code: 302650X



Industrial Floor Waste Combo - SS Round  
Grate 150x100 PVC/HDPE/CU & SS Dual  
Strainers

Code: DI4M06RX




Industrial Floor Waste Combo - SS Round Grate  
150x100 PVC/HDPE/CU & SS Strainer

Code: DI4S06RX



Slip-Safe® SS316 Bolted Cleanout Round  
150x100 PVC/HDPE/CU Slip-In

Code: 67790X







Slip-Safe® SS316 Bolted Cleanout Square  
150x100 PVC/HDPE Slip-In

Code: 67778X

# Drinking Tapware

Our drinking tapware is built to withstand exposure to weather, temperature changes, and heavy use. Designed for durability and reliability, it ensures consistent performance while resisting corrosion, UV damage, and vandalism.

-  Vandal Resistant
-  Accessible
-  Robust
-  Outdoor Friendly



Ezy-Drink® CP Lead Safe™ Vertical Push Button Drinking Bubbler Tap - MI (LH/RH)

Codes: 170.11.23.01, 170.11.33.01



Ezy-Drink® CP-BS Lead Safe™ Mini Push Button Drinking Bubbler Tap - MI

Code: 170.10.43.01



Ezy-Drink® CP-BS Lead Safe™ Horizontal Push Button Drinking Bubbler Tap - FI

Code: 170.50.13.01



Ezy-Drink® CP-BS Lead Safe™ Horizontal Cam Action Drinking Bubbler Tap - FI

Code: 170.50.15.01



Ezy-Drink® CP-BS Lead Safe™ Wall Mtd Push Button Bottle Filler

Code: 170.53.13.00



Ezy-Push® CP-BS Lead Safe™ Timeflow Push Button Deluxe Bib Tap MI (6 Sec/15 Sec)

Code: 173.46.21.00 173.46.41.00



Ezy-Drink® CP Lead Safe™ 2 in 1 Bottle Filler & Bubbler - Hob Mount

Code: 170.00.13.00



Ezy-Drink® CP Lead Safe™ 2 in 1 Bottle Filler & Bubbler - Wall Mount

Code: 170.02.13.00



Ezy-Drink® CP-BS Lead Safe™ Wall Mtd Lever Action Bottle Filler

Code: 170.53.14.00






Ezy-Drink® CP-BS Lead Safe™ Hob Mtd Bottle Filler Tap with Reduced Flange - MI (RH)

Code: 170.13.33.00

# Kitchen Tapware

Our kitchen tapware is designed to be durable, easy to use, and hygienic under frequent daily use. It combines robust construction with practical features to ensure reliable performance and ease of maintenance.

-  Vandal Resistant
-  Accessible
-  Robust
-  Outdoor Friendly



CliniLever® CP-BS Lead Safe™ Hospital Single Lever Sink Mixer H&C

Code: 103.01.72.00



CliniLever® CP-BS Lead Safe™ Accessible Single Lever Sink Mixer H&C

Code: 103.01.73.00



Ezy-Wash® CP-BS Lead Safe™ Lever Action Twin Mixer Sink Set C/D with Upswept Spout & 80mm Levers (200mm/300mm Reach)

Codes: 181.20.10.00, 181.20.11.00



Ezy-Wash® CP-BS Lead Safe™ Wall Mtd Exposed Mixing Unit Type 76 with 300mm Reach - FI

Code: 181.12.72.00



Ezy-Wash® CP-BS Lead Safe™ Hob Mtd Single Lever Mixer Pre-Rinse Unit Type 150 Flex Tail - Standard/Pot Filler

Codes: 181.01.56.00, 181.01.56.03



Ezy-Wash® CP-BS Lead Safe™ Hob Mtd Twin Mixer Pre-Rinse Unit Type 100 Flex Tail - Standard/Pot Filler

Code: 181.03.35.00 181.03.35.03



CliniLever® SS Lead Safe™ Gooseneck Sink Mixer with Pull Out Spray

Code: TM-SNKGVX



Flowmatic® Lead Safe™ Flamingo Hob Basin Tap without Temp Mixing - Mains Power

Code: 151.11.12.00



Ezy-Wash® Washdown Gun & 15m Auto Retractable Hose Reel

Code: 37402



Ezy-Push® CP-BS Lead Safe™ Timeflow Push Button Wall Valve with Regulator - Adjustable

Code: 173.61.55.00


# Accessories

Built for reliability and durability in high-traffic environments.



CliniMix® 1500 Lead Safe™ Thermostatic Mixing Valve

Code: 201.70.11.09



CliniMix® 1500 Lead Safe™ Thermostatic Mixing Valve in Cabinet

Code: 201.10.70.10



Wallgate Ligature Resistant Polycarb Mirror with S/Surface Frame Rear Fixed 450x1010mm

Code: ALM-06W



GalvinAssist® Straight Grab Rail Stainless Steel (300mm, 900mm)

Codes: 105.00.00.01, 105.00.09.01



CliniMix® Mini Lead Safe™ 1/2" Thermostatic Mixing Valve

Code: 201.71.00.00



GalvinCare® Ligature Resistant Double Robe/Towel Hook

Product Code: THK-02



GalvinAssist® Angled 450 x 450mm Grab Rail

Code: 105.07.23.01



GalvinCare® Powder Coated Ligature Resistant GalvinAssist® SS Angled 960 x 600mm Grab Rail (LH)

Code: 105.08.09.31



Wallgate Ligature Resistant Solid Surface Recessed Toilet Roll Holder

Code: TRH-04



Wallgate Ligature Resistant Solid Surface Recessed Shower Shelf

Code: ALF-04



GalvinCare® Powder Coated Ligature Resistant 90° Grab Rail 450x450mm (LH/RH)

Code: 42456



GalvinAssist® Fold Down SS Grab Rail with Fixed Toilet Roll Holder (LH/RH)

Codes: 105.62.08.31, 105.62.08.41

	Product Code	Product Description	Vandal Resistant	Accessible	Robust	Outdoor Friendly
Tapware	173.15.41.00	Ezy-Push® CP-BS Lead Safe™ Timeflow Push Button Pillar Tap (15 Sec)				
	173.15.21.00	Ezy-Push® CP-BS Lead Safe™ Timeflow Push Button Pillar Tap (6 Sec)				
	173.15.23.00	Ezy-Lever CP-BS Lead Safe™ Timeflow Lever Action Pillar Tap (6 Sec)				
	368667X	Ezy-Push® SS316 Lead Safe™ Timeflow Push Button Deluxe Bib Tap MI - 6 Sec				
	368696X	Ezy-Push® SS316 Lead Safe™ Timeflow Push Button Pillar Tap MI - 6 Sec				
	103.00.73.00	CliniLever® CP-BS Hospital Single Lever Basin Mixer with 165mm Accessible Lever - Hot/Cold				
	151.11.22.00	Flowmatic® Lead Safe™ Flamingo Hob Basin Tap without Temp Mixing - Battery Power				
	151.10.22.03	Flowmatic® Lead Safe™ GC10 Hob Basin Mixer - Battery Power				
	151.10.22.00	Flowmatic® Lead Safe™ GC20 Hob Basin Tap - Battery Power				
	174.12.12.01	Vandal Resistant CP-BS Lead Safe™ J/V Pillar Tap Aerated (Raised) - Cold				
	174.31.42.03	Vandal Resistant CP-BS Lead Safe™ J/V Basin Set with Aerator				
Basins	105.30.71.01	GalvinAssist® 720mm Accessible Wall Basin LH Bowl (0TH)				
	105.30.71.03	GalvinAssist® 720mm Accessible Wall Basin LH Bowl (1TH)				
	105.30.71.07	GalvinAssist® 720mm Accessible Wall Basin LH Bowl (3TH)				
	500.318.01.5-KIT	Selnova Compact Wall Basin 45cm with Overflow 1TH (RH)				
	500.319.01.5-KIT	Selnova Compact Wall Basin 45cm with Overflow 1TH (LH)				
	500.300.01.7-KIT	Selnova Square Wall Basin 60cm with Overflow 1TH				
	500.310.01.7-KIT	Selnova Square Wall Basin 50cm with Overflow 1TH				
	500.329.01.7	Selnova Basin Shroud				
	123.00.04.40	Wallgate S/Surface Wall Basin with Exposed Services 0TH				
	123.00.91.40	Wallgate S/Surface Narrow Shroud for Wall Basin with Exposed Services				
	K91450000-KIT	Kolo Rekord Wall Basin 50cm without Overflow 1TH				
	K97101000-KIT	Kolo Rekord Basin Shroud				
	105.93.00.00	GalvinAssist® Chrome, Round Bottle Trap, Wall Exit, Suits 32mm & 40mm Waste Holes				
	105.90.12.01	GalvinAssist® CP-BS Universal Pop-Up Basin Plug & Waste 40mm				
Toilets	123.41.32.40	Wallgate Ligature Resistant S/Surface Pan Covered with Integ Grey Seat 446x702mm				
	123.44.32.40	Wallgate Ligature Resistant S/Surface Accessible Pan Covered with Integ Grey Seat 460x810mm				
	656507	SS Vandal Resistant Dual Flush Plate for Pneumatic Inwall Cistern with CP-BS Flush Buttons				
	656512	SS Vandal Resistant Dual Flush Plate for Pneumatic Inwall Cistern with CP-BS Raised Buttons				
	105.10.20.00	GalvinAssist® Clean Flush Ambulant Toilet Suite with Soft Close Seat				
	105.10.10.01	GalvinAssist® Clean Flush Accessible Toilet Suite with Blue Seat				
	682001809	Ifo Sign 6820 Junior Toilet 4.5L / 3L Dual Flush with Soft-Close Seat, S-Trap - White				
	CWU-01W	Wallgate Vandal Resistant S/Surface Urinal with Through-Wall Concealed Services				
	CIST19-PNEU-2	Wallgate Pneumatic Activated Concealed Slimline Cistern				
	105.76.02.01	GalvinAssist® PWD Backrest				

	Product Code	Product Description	Vandal Resistant	Accessible	Robust	Outdoor Friendly
Showers	121.33.64.00	GalvinCare® CP-BS Lead Safe™ MH Ligature Resistant Wall Mtd Shower Rose				
	172.72.43.01	Ezy-Push® CP-BS Lead Safe™ Push Button Concealed Wall Top Assembly - Cold				
	41999CP	GalvinAssist® CP Hand Shower Kit with 900 x 32mm SS Hygienic Grab Rail				
	CLEVA035	GalvinAssist® Hand Shower Kit with 900 x 32mm SS Hygienic Grab Rail, ClevaCare® Shower				
	174.61.02.03	Vandal Resistant CP-BS Lead Safe™ Shower Set J/V				
	173.61.45.00	Ezy-Push® CP-BS Lead Safe™ Timeflow Push Button Concealed Shower Control Valve - 15 Sec				
	TM-SHWCP	CliniLever® CP-BS Hospital Single Lever Shower Mixer				
	174.01.02.01	Vandal Resistant CP Lead Safe™ J/V Wall Top Assembly - Hot				
	174.01.02.02	Vandal Resistant CP Lead Safe™ J/V Wall Top Assembly - Cold				
	105.70.09.01	GalvinAssist® 960 x 400 x 480mm Folding Shower Seat				
	TZ-FLOWTMSHWINR	GalvinCare® Ligature Resistant Electronic Concealed Shower Mixer with GalvinCare® Handle & Controller				
Drains	DI4M06RX	Industrial Floor Waste Combo - SS Round Grate 150x100 PVC/HDPE/CU & SS Dual Strainers				
	DI4S06RX	Industrial Floor Waste Combo - SS Round Grate 150x100 PVC/HDPE/CU & SS Strainer				
	302185X	HeelGrate® SS316 Floor Drain Grate Round 150x100 PVC/HDPE/CU Slip-In				
	302182X	HeelGrate® SS316 Floor Drain Grate Round 100x80 PVC Slip-In				
	302445X	HeelGrate® SS316 Floor Drain Grate Square 100x80 PVC Slip-In				
	302505X	HeelGrate® SS316 Floor Drain Grate Square 150x100 PVC/HDPE/CU Slip-In				
	302640X	HeelGrate® SS Floor Drain Grate Square 200x100 PVC/HDPE/CU Slip-in				
	302650X	HeelGrate® SS Floor Drain Grate Square 300x100 PVC/HDPE/CU Slip-in				
	67790X	Slip-Safe® SS316 Bolted Cleanout Round 150x100 PVC/HDPE/CU Slip-In				
	67778X	Slip-Safe® SS316 Bolted Cleanout Square 150x100 PVC / HDPE Slip-In				
	Drinking Tapware	170.00.13.00	Ezy-Drink® CP Lead Safe™ 2 in 1 Bottle Filler & Bubbler - Hob Mount			
170.02.13.00		Ezy-Drink® CP Lead Safe™ 2 in 1 Bottle Filler & Bubbler - Wall Mount				
170.11.23.01		Ezy-Drink® CP Lead Safe™ Vertical Push Button Drinking Bubbler Tap - MI (LH)				
170.11.33.01		Ezy-Drink® CP Lead Safe™ Vertical Push Button Drinking Bubbler Tap - MI (RH)				
170.10.43.01		Ezy-Drink® CP-BS Lead Safe™ Mini Push Button Drinking Bubbler Tap - MI				
170.50.13.01		Ezy-Drink® CP-BS Lead Safe™ Horizontal Push Button Drinking Bubbler Tap - FI				
170.50.15.01		Ezy-Drink® CP-BS Lead Safe™ Horizontal Cam Action Drinking Bubbler Tap - FI				
170.53.13.00		Ezy-Drink® CP-BS Lead Safe™ Wall Mtd Push Button Bottle Filler				
173.46.21.00		Ezy-Push® CP-BS Lead Safe™ Timeflow Push Button Deluxe Bib Tap - MI (6 Sec)				
173.46.41.00		Ezy-Push® CP-BS Lead Safe™ Timeflow Push Button Deluxe Bib Tap - MI (15 Sec)				
170.53.14.00		Ezy-Drink® CP-BS Lead Safe™ Wall Mtd Lever Action Bottle Filler				
170.13.33.00	Ezy-Drink® CP-BS Lead Safe™ Hob Mtd Bottle Filler Tap with Reduced Flange - MI (RH)					

	Product Code	Product Description	Vandal Resistant	Accessible	Robust	Outdoor Friendly
Kitchen Tapware	181.01.56.00	Ezy-Wash® CP-BS Lead Safe™ Hob Mtd Single Lever Mixer Pre-Rinse Unit Type 150 Flex Tail - Standard				
	181.01.56.03	Ezy-Wash® CP-BS Lead Safe™ Hob Mtd Single Lever Mixer Pre-Rinse Unit Type 150 Flex Tail - Pot Filler				
	181.03.35.00	Ezy-Wash® CP-BS Lead Safe™ Hob Mtd Twin Mixer Pre-Rinse Unit Type 100 Flex Tail - Standard				
	181.03.35.03	Ezy-Wash® CP-BS Lead Safe™ Hob Mtd Twin Mixer Pre-Rinse Unit Type 100 Flex Tail - Pot Filler				
	181.12.72.00	Ezy-Wash CP-BS Lead Safe™ Wall Mtd Exp Mixing Unit Type 76 FI Inlet with 300 Reach				
	181.20.10.00	Ezy-Wash® CP-BS Lead Safe™ Lever Action Twin Mixer Sink Set C/D with Upswept Spout 80 Lever				
	181.20.11.00	Ezy-Wash® CP-BS Lead Safe™ Lever Action Twin Mixer Sink Set C/D with Upswept Spout 80 Lever				
	37402	Ezy-Wash® Washdown Gun & 15m Auto Retractable Hose Reel				
	103.01.73.00	CliniLever® CP-BS Lead Safe™ Accessible Single Lever Sink Mixer H&C				
	103.01.72.00	CliniLever® CP-BS Lead Safe™ Hospital Single Lever Sink Mixer H&C				
	TM-SNKGVX	CliniLever® SS Lead Safe™ Gooseneck Sink Mixer with Pull Out Spray				
	151.11.12.00	Flowmatic® Lead Safe™ Flamingo Hob Basin Tap without Temp Mixing - Mains Power				
	173.61.55.00	Ezy-Push® CP-BS Lead Safe™ Timeflow Push Button Wall Valve with Regulator - Adjustable				
	TMVs	201.70.11.09	CliniMix® 1500 Lead Safe™ Thermostatic Mixing Valve			
201.10.70.10		CliniMix® 1500 Lead Safe™ Thermostatic Mixing Valve in Cabinet				
201.71.00.00		CliniMix® Mini Lead Safe™ 1/2" Thermostatic Mixing Valve				
Accessories	ALF-04	Wallgate Ligature Resistant S/Surface Recessed Shower Shelf				
	TRH-04	Wallgate Ligature Resistant S/Surface Recessed Toilet Roll Holder				
	ALM-06W	Wallgate Ligature Resistant Polycarb Mirror with S/Surface Frame Rear Fixed 450x1010mm				
	THK-02	GalvinCare® Ligature Resistant Double Robe/Towel Hook				
	105.00.00.01	GalvinAssist® SS Straight 300mm Grab Rail				
	105.00.09.01	GalvinAssist® SS Straight 900mm Grab Rail				
	105.07.23.01	GalvinAssist® SS Angled 450 x 450mm Grab Rail				
	105.08.09.31	GalvinAssist® SS Angled 960 x 600mm Grab Rail (LH)				
	42456	GalvinAssist® SS Accessible Toilet Grab Rail 1110 x 1030 x 600mm (LH)				
	105.62.08.31	GalvinAssist® Fold Down SS Grab Rail with Fixed Toilet Roll Holder (LH)				
	105.62.08.41	GalvinAssist® Fold Down SS Grab Rail with Fixed Toilet Roll Holder (RH)				



We design, manufacture  
and supply safe,  
green and smart water  
solutions for high  
risk and high care  
environments.



1300 514 074



[sales@galvinengineering.com.au](mailto:sales@galvinengineering.com.au)



[galvinengineering.com.au](http://galvinengineering.com.au)

- Australia
- New Zealand
- UK
- USA

GalvinEngineering   
the mark of reliability

© CliniLever, CliniMix, Ezy-Drink, Ezy-Lever, Ezy-Push, Ezy-Wash, Flowmatic, GalvinAssist, GalvinCare, HeelGrate, Slip-Safe, Galvin Engineering, Galvin Specialised. All rights reserved. <sup>TM</sup> Lead Safe. © Galvin Engineering Pty Ltd

Whilst all reasonable care has been taken in compiling the information in this document, the designs, dimensions and products shown are indicative only and should not be relied upon without prior approval. Due to our policy of continuous development, we reserve the right to alter any details of specifications or products without notice. All information, drawings, technical specifications and product designs remains the property of Galvin Engineering Pty Ltd.

Galvin Engineering offers a range of ligature resistant, anti-ligature, vandal resistant, and anti-vandal products designed to reduce the risk of self-harm, suicide, or vandalism, but we cannot offer any guarantee that these events will not take place. Therefore, it is important to understand that installation of these products will not eliminate all risks.

When we use the terms ligature resistant and/or anti-ligature about our products, it means that we have designed and tested these products to reduce the risk of that product being used as a ligature attachment point. They will not protect or prevent injury when the risks were unknown to us at the time of the design of the products. They are not a replacement for professionals who are trained in the proper evaluation, management, and supervision of persons at risk of self-harm or suicide.

When we use the terms vandal resistant and/or anti-vandal about our products, it means that we have designed and tested these products to reduce the risk of that product being vandalised. They will not protect or prevent damage when the risks were unknown to us at the time of the design of the products.

Galvin Engineering recommends that designers, installers, facility managers, and anyone intending to rely on or use any products displayed in our literature or on our website, satisfy themselves about the suitability of the products for their intended use in the building design, and ensure they are being installed, used, and maintained in accordance with our instructions. Facility managers, clinicians, and carers need to ensure that reasonable steps are taken to reduce the accessibility of unnecessary ligatures to at-risk patients, confirm that adequate risk mitigation controls are in place, and make sure that applicable health, safety and patient care standards are being met.

Galvin Engineering makes no express or implied warranties regarding the ability of the product to prevent death or injury, to resist all ligature attachment, or to prevent vandalism. No responsibility is assumed by Galvin Engineering for any incidental or consequential damages resulting from the use of any products sold by Galvin Engineering. To the fullest extent permitted by law, Galvin Engineering excludes all liability for damage or injury to any person, damage to any property, and any indirect consequential claims, loss or damage.