

Flowmatic® Automatic Concealed Sensor Assembly 24AC for Basin/Sink with SS Face Plate

Specification Data Sheet



Features

- Sensor face is designed to be mounted flush into the wall/trough to minimise the growth of dirt or bacteria, combined with the sensor eye and screws that are supplied
- Sensor circuit boards are supplied standard with a lacquer finish to limit the damage that may be caused by moisture
- The multiple time cycle options is able to be adjusted on site, which allows the facility manager the flexibility of adjusting to suit user requirements
- Built in capacitors and easy fit electrical filters to help suppress external noise, and provide a continuous reliable delivery of water
- Australian Made; therefore, spare parts and support are available locally, reducing maintenance and downtime costs
- Also available in a Bluetooth Connectivity option which then allows facility managers to program-specific hygiene times and other features

Solenoid

- 24 volt low power usage solenoid to reduce the power usage and costs
- Slow close to minimise the impact of water hammer within the plumbing system

To Specify

Australian Made AS/NZS 3718 approved, Galvin Specialised Flowmatic® Automatic Concealed Sensor Assembly 24AC for Basin/Sink with Stainless Steel Face Plate is designed for use in behavioural health facilities.

Robust and reliable, our Flowmatic® Automatic Concealed Sensor Assembly 24AC with Stainless Steel Face Plate is water conserving and cost-effective.

Code:

TZ-FLOWTAPC24 - Flowmatic® Automatic Concealed Sensor Assembly 24AC for Basin/Sink with SS Face Plate



A family
owned
Australian
business




Performance Standards & Approvals

- AS/NZS 3718 - WaterMark




WaterMark
AS/NZS 3718 Lic. WMKA0034
SAI Global


Technical Dimensions



GALVANISED INWALL BOX



STAINLESS STEEL FACE PLATE WITH CONCEALED
WALL SENSOR ASSEMBLY



ASSEMBLY

Technical Information

- Inlet: 1/2" BSP - Female
- Headwork: Solenoid
- Sensor Activation: Hand Movement
- Sensor Type: Infra-Red
- Working Pressure Range (kPa): 50 - 500
- Working Temperature Range (°C): 5 - 90
- Construction: Stainless Steel
- Finish: Brushed Stainless Steel

Maintenance & Cleaning

Galvin Engineering products should be cleaned with a soft damp cloth using only mild liquid detergent or soap and water. Do not use cleaning agents containing a corrosive acid, scouring agent or solvents. Do not use cream cleaners, as they are abrasive. Use of unsuitable cleaning agents may damage the surface. Any damage caused in this way will not be covered by warranty.

Regular maintenance should be carried out in accordance with the installation and troubleshooting guides provided with the product, relevant Australian Standards, local authorities and state codes.

As part of maintaining a safe and reliable plumbing system, we recommend tapware and valves are operated on at least a daily basis.

Warranty

Galvin Engineering products are covered under our Manufacturer's Warranty at www.galvinengineering.com.au. Galvin Engineering products must be installed in accordance with the installation instructions and in accordance with AS3500 and the PCA, relevant Australian Standards and local authorities applicable to product being installed. Water and electrical supply conditions must also comply to the applicable national and/or state standards, failing to comply with these provisions may void the product warranty and affect performance of the product.

Whilst all reasonable care has been taken in compiling the information in this document, the designs, dimensions and products shown are indicative only and should not be relied upon without our prior approval. Due to our policy of continuous development, we reserve the right to alter any details of specifications or products without notice. All information, drawings, technical specifications and product designs remains the property of Galvin Engineering Pty Ltd.

Within Australia: **1300 514 074** Outside Australia: P: +61 (0)8 9338 2344

F: +61 (0)8 9338 2340

sales@galvinengineering.com.au

www.galvinengineering.com.au

ABN: 78 008 719 382

A business unit of

GalvinEngineering
the mark of reliability



PERTH | SYDNEY | MELBOURNE | BRISBANE | ADELAIDE | UNITED STATES OF AMERICA | UNITED KINGDOM | NEW ZEALAND