


Flowmatic® Electronic Activated Assembly 24AC for Flushing Rim Sink with SS Face Plate

Specification Data Sheet



Standard Features

Exposed Plate

- 4mm thick brushed stainless steel with 4mm radius corners
- Designed for front fixing

Controller Requirements

- The control box and sensors must be mounted within 3 metres of the supply valve
- A 220 - 240V 50Hz 10 amp general purpose outlet must be supplied within 1 metre of the control box
- All plumbing must comply with AS/NZS 3500

Pan Function:

- Pressing the cell call button on the stainless steel plate activates the flusher

Flush Valve for Pan Flow Rate Requirement

- Flow Rate: Minimum of 1.5 litres per second to flush valve
- Connection size on valve 25mm BSP
- All plumbing and installation must be carried out in accordance with AS/NZS 3500

Note: No flush pipe provided.

General

- Cabling: Is supplied for the cell call button, solenoid and transformer
- Controller: Galvin Specialised controller is a 24V AC electronic control system. Depending on the settings programmed, the solenoids will open for a specific time once the appropriate button is pressed

To Specify

Galvin Specialised Flowmatic® electronic activated assembly, provides the complete vandal and ligation resistant solution. It is designed for mains pressure flushing installations. Robust and reliable, our Flowmatic® electronic activated assembly range is water conserving and cost-effective.

Code:

TZ-FLOWTRIM - Flowmatic® Electronic Activated Assembly 24AC for Flushing Rim Sink with Stainless Steel Face Plate



A family
owned
Australian
business



galvinspecialised
commercial taps + fixtures


Performance Standards & Approvals

- AS 1172.2 – WaterMark



WaterMark
AS 1172.2 Lic. WMK26456
SAI Global

Technical Dimensions



Technical Information

- Inlet: 1" BSP - Female
- Outlet: 2" BSP - Male
- Headwork: Solenoid
- Working Pressure Range (kPa): 70 Min - 500 Max
- Working Temperature Range (°C): 2 Min - 40 Max
- Activation: Cell Call Button
- Finish: Stainless Steel

Maintenance & Cleaning

Galvin Specialised products should be cleaned with a soft damp cloth using only mild liquid detergent or soap and water. Do not use cleaning agents containing a corrosive acid, scouring agent or solvents. Do not use cream cleaners, as they are abrasive. Use of unsuitable cleaning agents may damage the surface. Any damage caused in this way will not be covered by warranty.

Regular maintenance should be carried out in accordance with the installation and troubleshooting guides provided with the product, relevant Australian Standards, local authorities and state codes.

As part of maintaining a safe and reliable plumbing system, we recommend tapware and valves are operated on at least a daily basis.

Warranty

Galvin Engineering products are covered under our Manufacturer's Warranty at www.galvinengineering.com.au. Galvin Engineering products must be installed in accordance with the installation instructions and in accordance with AS3500 and the PCA, relevant Australian Standards and local authorities applicable to product being installed. Water and electrical supply conditions must also comply to the applicable national and/or state standards, failing to comply with these provisions may void the product warranty and affect performance of the product.

Whilst all reasonable care has been taken in compiling the information in this document, the designs, dimensions and products shown are indicative only and should not be relied upon without our prior approval. Due to our policy of continuous development, we reserve the right to alter any details of specifications or products without notice. All information, drawings, technical specifications and product designs remains the property of Galvin Engineering Pty Ltd.

Within Australia: **1300 514 074** Outside Australia: P: +61 (0)8 9338 2344

F: +61 (0)8 9338 2340

sales@galvinengineering.com.au

www.galvinengineering.com.au

ABN: 78 008 719 382

A business unit of

GalvinEngineering

the mark of reliability



PERTH | SYDNEY | MELBOURNE | BRISBANE | ADELAIDE | UNITED STATES OF AMERICA | UNITED KINGDOM | NEW ZEALAND