

Wall basin with shelf and integrated overflow

PRODUCT CODES

- 105.30.70.00
- 105.30.70.01
- 105.30.70.02
- 105.30.70.03
- 105.30.70.06
- 105.30.70.07
- 105.30.71.00
- 105.30.71.01
- 105.30.71.02
- 105.30.71.03
- 105.30.71.06
- 105.30.71.07



The image is 105.30.70.02.
Details are different in variants.

SPECIFICATIONS

- The series includes basins with 0, 1 or 3 tapholes
- Suit 32 mm waste
- Integrated overflow

IMPORTANT:

- Always use the actual basin to verify cutout
- Back of basin includes mounting holes
- Use silicone sealant. Do not use epoxy type adhesives

WARNINGS: Special attentions to be paid on notes, photos, images, or drawings of assembly steps marked with the warning symbol.







TECHNICAL DATA

Finish

Gloss Vitreous China


NOTE: Galvin Engineering continually strive to improve their products. Specifications may change without notice.

DIMENSIONS



INSTALLATION

INSTALLATION COMPLIANCE: Galvin Engineering products must be installed in accordance with these installation instructions and in accordance with AS/NZS 3500, the PCA and your local regulatory requirements. Water and/or electrical supply conditions must also comply to the applicable national and/or state standards. Failing to comply with these provisions shall void the product warranty and may affect the performance of the product.



Use two highlighted mounting holes to install the basin on the wall. (expansion bolts set have been provided in the package)

WARRANTY

The warranty set forth herein is given expressly and is the only warranty given by the Galvin Engineering Pty Ltd. With respect to the product, Galvin Engineering Pty Ltd makes no other warranties, express or implied. Galvin Engineering Pty. Ltd. hereby specifically disclaims all other warranties, express or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose.

Galvin Engineering Pty Ltd products are covered under our manufacturer’s warranty available for download from www.galvinengineering.com.au Galvin Engineering Pty Ltd expressly warrants that the product is free from operational defects in workmanship and materials for the warranty period as shown on the schedule in the manufacturer’s warranty. During the warranty period, Galvin Engineering will replace or repair any defective products manufactured by Galvin Engineering without charge, so long as the terms of the Manufacturer’s warranty are complied with.

The remedy described in the first paragraph of this warranty shall constitute the sole and exclusive remedy for breach of warranty, and Galvin Engineering Pty Ltd shall not be responsible for any incidental, special or consequential damages, including without limitation, lost profits or the cost of repairing or replacing other property which is damaged if this product does not work properly, other costs resulting from labour charges, delays, vandalism, negligence, fouling caused by foreign material, damage from adverse water conditions, chemical, electrical or any other circumstances over which Galvin Engineering has no control. This warranty shall be invalidated by any abuse, misuse, misapplication, improper installation or improper maintenance or alteration of the product.

Within Australia: 1300 514 074 Outside Australia: P: +61 (0)8 9338 2344

F: +61 (0)8 9338 2340

sales@galvinengineering.com.au

www.galvinengineering.com.au

ABN: 78 008 719 382

PERTH | SYDNEY | MELBOURNE | BRISBANE | ADELAIDE

